CONTENTS

No. 1 JULY, 1936

V. S. Asmundson, H. J. Almquist and A. A. Klose. Effect of different forms of iodine on laying hens. Four figures 1

Gladys J. Everson and Amy L. Daniels. With the cooperation of Florence I. Scoular and Mary F. Deardorff. Vitamin C studies with children of preschool age. One figure 15

Roe E. Remington, E. J. Coulson and Harold Levine. Studies on the relation of diet to goiter. IV. The antigoitrogenic value of some foods. One figure 27

Florence S. Tabor, R. Adams Dutcher and N. B. Guerrant. The effect of the vitamin A (carotene) intake on the vitamin D requirement of rats in the production and cure of rickets 39

A. C. Ivy, C. R. Schmidt and James M. Beazell. On the effectiveness of malt amylase on the gastric digestion of starches 59

Margaret House Irwin, H. Steenbock and Vera May Templin. A technic for determining the rate of absorption of fats. One figure 85

H. Steenbock, Margaret House Irwin and Janet Weber. With the technical assistance of Vera May Templin, Meryl A. Pickering, A. R. Kemmerer and E. J. Lease. The comparative rate of absorption of different fats 103

No. 2 AUGUST, 1936

A. G. Eaton, Shirley C. Cordill and J. L. Gouaux. The specific dynamic action of glycine intravenously administered to nephrectomized dogs .. 113

Max Kleiber, Harold Goss and Harold R. Guilbert. Phosphorus deficiency metabolism and food utilization in beef heifers 121

Bernard B. Longwell, Robert P. Johnston and Robert M. Hill. The activity of yeast extract in the prevention of renal hypertrophy caused by high protein diets. One figure 155

HELEN FRIEDMAN. A study of the fecal flora and the line test of normal rats, rachitic rats and healing rachitic rats. Three figures 165

S. MORGULIS AND HOWARD C. SPENCER. Studies on the blood and tissues in nutritional muscular dystrophy. Two figures 173

S. MORGULIS AND HOWARD C. SPENCER. Metabolism studies in nutritional muscular dystrophy. Six figures 191

KURT W. FRANKE AND VAN R. POTTER. The effect of selenium containing foodstuffs on growth and reproduction of rats at various ages. Three figures 205

ESTELLE E. HAWLEY, JOHN P. FRAZER, LUCIUS L. BUTTON AND D. J. STEPHENS. The effect of the administration of sodium bicarbonate and of ammonium chloride on the amount of ascorbic acid found in the urine. Two figures 215

No. 3 SEPTEMBER, 1936

T. C. SHERWOOD. The relation of season, sex and weight to the basal metabolism of the albino rat 223

M. K. HORWITT, G. R. COWGILL AND L. B. MENDEL. The availability of the proteins and inorganic salts of the green leaf. One figure 237

M. K. HORWITT, G. R. COWGILL AND L. B. MENDEL. The availability of the carbohydrates and fats of the green leaf together with some observations on crude fiber 255

J. W. HAYWARD, H. STEENBOCK AND G. BOHSTEDT. The effect of cystine and casein supplements upon the nutritive value of the protein of raw and heated soy beans 275

FAITH FENTON, DONALD K. TRESSLER AND CHARLES G. KING. Losses of vitamin C during the cooking of peas. Four figures 285

R. M. BETHKE, P. R. RECORD AND D. C. KENNARD. The relation of vitamin G to the hatchability of hens' eggs 297

R. M. BETHKE, P. R. RECORD AND F. W. WILDER. The effect of the ration of the hen on the vitamin G content of eggs with observations on the distribution of vitamin B and G in normal eggs. Four figures 309

W. C. SHERMAN AND C. A. ELVEHJEM. The effect of polyneuritis in chicks upon the in vivo rate of removal of pyruvate injected intravenously. One figure 321

No. 4 OCTOBER, 1936

H. J. Almquist and E. L. R. Stokstad. Factors influencing the incidence of dietary hemorrhagic disease in chicks. Two figures 329

I. M. Rabinowitch and Florence C. Smith. With the technical assistance of Eleanor V. Bazin and Marjorie Mountford. Metabolic studies of Eskimos in the Canadian Eastern Arctic 337

Margaret House Irwin, H. Steenbock and A. R. Kemmerer. With the technical assistance of Janet Weber. The influence of vitamins A, B, or D, anemia or fasting upon the rate of fat absorption in the rat 357

Margaret House Irwin, Janet Weber and H. Steenbock. The influence of certain hydrotropic and other substances upon fat absorption 365

James M. Orten, Arthur H. Smith and Lafayette B. Mendel. Relation of calcium and of iron to the erythrocyte and hemoglobin content of the blood of rats consuming a mineral deficient ration. Two figures 373

Paul L. Day and William J. Darby. The inverse relation between growth and incidence of cataract in rats given graded amounts of vitamin G-containing foods. One figure 387

Paul L. Day. Blood sugar in rats rendered cataractous by dietary procedures. One figure 395

Flora Hanning. Comparison of the biological and chemical methods for the determination of vitamin C in canned strained vegetables and a study of its variation from year to year 405

Patricia H. O'Hara and Hazel M. Hauck. Storage of vitamin C by normal adults following a period of low intake. One figure 413

No. 5 NOVEMBER, 1936

O. N. Massengale and Charles E. Bills. A quantitative method for the assay of vitamin D with chickens. Two figures 429

Helen S. Mitchell. Susceptibility of different strains of rats to nutritional cataract. One figure 447

O. L. Kline, H. R. Bird, C. A. Elvehjem and E. B. Hart. The distribution of vitamin B_1 in some plant and animal products 455

Flemintine Peirce Dann. Vitamin B assay using rat curative method with modified diets and oral administration of addenda 461

DWIGHT E. CLARK AND JOHN R. MURLIN. The effects of glucose, fructose and galactose in ketosis, produced by anterior pituitary extract and by pancreatectomy. Two figures 469

WILLIAM R. MURLIN AND RICHARD S. MANLY. Comparative effects of glucose, sucrose and fructose on ketone substance production in phlorhizinized dogs. Two figures 491

WARREN M. COX, JR. AND MIRIAM IMBODEN. The effect of mono-, di- and tricalcium phosphates on reproductive success in rats. One figure 509

SAMUEL LEPKOVSKY AND THOMAS H. JUKES. The response of rats, chicks and turkey poults to crystalline vitamin G (flavin). Six figures 515

T. G. H. DRAKE, F. F. TISDALL AND ALAN BROWN. The antirachitic value of irradiated yeast in infants. One plate (four figures) 527

No. 6 DECEMBER, 1936

A. T. RINGROSE AND L. C. NORRIS. Differentiation between vitamin G and an insoluble factor preventing a pellagra-like syndrome in chicks. One text figure and one plate 535

A. T. RINGROSE AND L. C. NORRIS. Differentiation between vitamin G and a soluble factor preventing a pellagra-like syndrome in chicks 553

H. R. BIRD, O. L. KLINE, C. A. ELVEHJEM, E. B. HART AND J. G. HALPIN. The distribution and properties of the anti-gizzard-erosin factor required by chicks 571

FREDERIC W. SCHLUTZ AND ELIZABETH M. KNOTT. The use of a 10-day period for the assay of vitamin B by rat growth technic. Six figures 583

ELIZABETH M. KNOTT. A quantitative study of the utilization and retention of vitamin B by young children. Two figures 597

JOHN R. MURLIN, ALAN C. BURTON AND W. M. BARROWS, JR. The specific dynamic action of butter fat, and of superimposed sugar. Six figures 613

JOHN R. MURLIN, E. S. NASSET, WILLIAM R. MURLIN AND R. S. MANLY. The rate of ketogenesis in human subjects on high fat diets, as influenced by different sugars 645

CLARENCE P. BERG. The availability of *d*(—)-lysine for growth. One figure 671